


P Series, Phillips®






6. IN (DL.)	G. IN (VIII.)	5: 1 N (D I)	c:		., .
Stock No. (Blue)	Stock No. (Yellow)	Stock No. (Red)	Tip Size	A (mm)	L (mm)
BSGD75PH0B	BSGD75PH0Y	BSGD75PH0R	PH0	75	148
BSGD100PH0B	BSGD100PH0Y	BSGD100PH0R	PH0	100	187
BSGD150PH0B	BSGD150PH0Y	BSGD150PH0R	PH0	150	237
BSGD100PH1B	BSGD100PH1Y	BSGD100PH1R	PH1	100	208
BSGD150PH1B	BSGD150PH1Y	BSGD150PH1R	PH1	150	258
BSGD200PH1B	BSGD200PH1Y	BSGD200PH1R	PH1	200	308
BSGD250PH1B	BSGD250PH1Y	BSGD250PH1R	PH1	250	358
BSGD300PH1B	BSGD300PH1Y	BSGD300PH1R	PH1	300	408
BSGD100PH2B	BSGD100PH2Y	BSGD100PH2R	PH2	100	208
BSGD150PH2B	BSGD150PH2Y	BSGD150PH2R	PH2	150	258
BSGD200PH2B	BSGD200PH2Y	BSGD200PH2R	PH2	200	308
BSGD250PH2B	BSGD250PH2Y	BSGD250PH2R	PH2	250	358
BSGD300PH2B	BSGD300PH2Y	BSGD300PH2R	PH2	300	408
BSGD150PH3B	BSGD150PH3Y	BSGD150PH3R	PH3	150	270
BSGD200PH3B	BSGD200PH3Y	BSGD200PH3R	PH3	200	320

- 2-Component handle gives to the screwdriver an ideal ergonomic shape
- Perfectly adapted to the forces exerted by the hand and permits work efficiently
- The chrome molybdenum vanadium blade is hardened to HRC 59±1
- Nickel and chrome plated blade and the tip is especially vapor-blasted for greater screw-tip adherence and a full anti-rust guarantee
- With hanging hole moulded to the blade
- The size and part number are laser-etched on the blade to ensure their permanence

P Series, Slotted






Stock No. (Blue)	Stock No. (Yellow)	Stock No. (Red)	Tip Size	A (mm)	L (mm)
BSGD75S3B	BSGD75S3Y	BSGD75S3R	3mm	60	147
BSGD75F4B	BSGD75F4Y	BSGD75F4R	3mm	80	168
BSGD100S4B	BSGD100S4Y	BSGD100S4R	4.5mm	80	188
BSGD125S4B	BSGD125S4Y	BSGD125S4R	4.5mm	125	233
BSGD150S4B	BSGD150S4Y	BSGD150S4R	4.5mm	200	308
BSGD250S4B	BSGD250S4Y	BSGD250S4R	4.5mm	250	358
BSGD125S5B	BSGD125S5Y	BSGD125S5R	5mm	100	208
BSGD150S5B	BSGD150S5Y	BSGD150S5R	5mm	150	258
BSGD125F5B	BSGD125F5Y	BSGD125F5R	5.5mm	125	233
BSGD125F6B	BSGD125F6Y	BSGD125F6R	6.5mm	100	208
BSGD150F6B	BSGD150F6Y	BSGD150F6R	6mm	150	258
BSGD250F6B	BSGD250F6Y	BSGD250F6R	6.5mm	250	358
BSGD150F8B	BSGD150F8Y	BSGD150F8R	8mm	150	270
BSGD175F8B	BSGD175F8Y	BSGD175F8R	8mm	200	320

- 2-Component handle gives to the screwdriver an ideal ergonomic shape
- Perfectly adapted to the forces exerted by the hand and permits work efficiently
- The chrome molybdenum vanadium blade is hardened to HRC 59±1
- Nickel and chrome plated blade and the tip is especially vapor-blasted for greater screw-tip adherence and a full anti-rust guarantee
- With hanging hole moulded to the blade
- $\bullet\,$ The size and part number are laser-etched on the blade to ensure their permanence



P Series VDE, Phillips®



Stock No.	Tip Size	A (mm)	L (mm)
BSGDV100PH0	PH0	100	148
BSGDV150PH1	PH1	150	188
BSGDV175PH2	PH2	175	208
BSGDV200PH3	PH3	200	270

P Series VDE, Slotted

Stock No.	Tip Size	A (mm)	L (mm)	
BSGDV100S2	2.5mm	100	163	
BSGDV100S3	3mm	100	188	
BSGDV100S4	4mm	100	208	
BSGDV125S5	5.5mm	125	233	
BSGDV150S6	6.5mm	150	258	

- Insulated screwdriver for Phillips PH-head screws, for work on live equipment up to 1000V
- Examination of screwdrivers according to latest national and international standards
- Examination piece-wise in water bath with 10 KV
- Ergonomically developed 2-component handle
- Blade black oxidized, entirely hardened





49

Screwdrivers & Bits Screwdrivers

M Series, Slotted

Stock No.	Tip Size	A (mm)	L (mm)
BSGDM65F2	2.4	65	136
BSGDM75F3	3.2	75	149
BSGDM100F3	3.2	100	175
BSGDM150F3	3.2	150	225
BSGDM75F5	5	75	182
BSGDM100F5	5	100	208
BSGDM150F5	5	150	258
BSGDM200F5	5	200	309
BSGDM38F6	6	38	100
BSGDM100F6	6	100	220
BSGDM150F6	6	150	270
BSGDM200F6	6	200	321
BSGDM250F6	6	250	372
BSGDM150F8	8	150	280
BSGDM200F8	8	200	331
BSGDM200F9	9.5	200	331


M Series, Phillips®	
•	
├	

Stock No.	Tip Size	A (mm)	L (mm)
BSGDM65PH00	00	65	136
BSGDM75PH0	0	75	148
BSGDM100PH0	0	100	173
BSGDM150PH0	0	150	223
BSGDM75PH1	1	75	181
BSGDM100PH1	1	100	206
BSGDM150PH1	1	150	256
BSGDM38PH2	2	38	100
BSGDM100PH2	2	100	218
BSGDM150PH2	2	150	268
BSGDM200PH2	2	200	318
BSGDM250PH2	2	250	368
BSGDM150PH3	3	150	278
BSGDM200PH3	3	200	328
BSGDM200PH4	4	200	328




50

- Tri-lobe handle shape for reducing user strain while operating and offering optimum torque
- Soft cushion grip for the best performance without fatigue
- Concave hollow of the handle neck for firm pinch pressure and precision control



Stock No.	Tip Size	A (mm)	L (mm)
BSGDM65PZ00	0	65	136
SSGDM75PZ0	0	75	148
SGDM100PZ0	0	100	173
SGDM150PZ0	0	150	223
SSGDM75PZ1	1	75	181
SSGDM100PZ1	1	100	206
SGDM150PZ1	1	150	256
SGDM38PZ2	2	38	100
SGDM100PZ2	2	100	218
SGDM150PZ2	2	150	268
SGDM200PZ2	2	200	318
SGDM250PZ2	2	250	368
SSGDM150PZ3	3	150	278
SGDM200PZ3	3	200	328
SGDM200PZ4	4	200	328



Stock No.	Tip Size	A (mm)	L (mm)
BSGDM75TX6	T6	75	148
BSGDM75TX7	T7	75	148
BSGDM75TX8	T8	75	148
BSGDM75TX9	Т9	75	148
BSGDM100TX10	T10	100	206
BSGDM100TX15	T15	100	206
BSGDM100TX20	T20	100	206
BSGDM100TX25	T25	100	218
BSGDM100TX27	T27	100	218
BSGDM100TX30	T30	100	218
BSGDM100TX40	T40	100	218

- Tri-lobe handle shape for reducing user strain while operating and offering optimum torque
- Soft cushion grip for the best performance without fatigue
- Concave hollow of the handle neck for firm pinch pressure and precision control

Screwdrivers & Bits Screwdrivers / Bits

Blue-Point

1/4" Ratchet Nut Driver, Pistol Handle

BSGDMR6



- 5" magnetic bit holder blade for 1/4" hex bits
- 45 tooth ratcheting mechanism ensures precise positioning and movement
- Bits are stored in a bit magazine inside the handle
- Includes six 1/4" hex bits: Flat Tip (4.5 and 5.5), Phillips® (#1 and #2) plus Torx® (T15 and T20)
- Ergonomically designed two component handle is textured for excellent grip and user comfort
- Provides three functional options, left and right turning and locked position
- Blade features a knurled-grip for fast spinning of the fastene
- Screwdriver carries a lifetime warranty. (Bits are consumable and carry no warranty.)

Bits



Stock No.	Description	Size	Stock No.	Description	Size
BLPHB18	Hex Bit	1/8"	BLPTB25TP	Tamper Resistant Torx Bit	T25
BLPHB964	Hex Bit	9/64"	BLPTB30TP	Tamper Resistant Torx Bit	T30
BLPHB532	Hex Bit	5/32"	BLPFB532	Flat Tip Bit	5/32"
BLPHB316	Hex Bit	3/16"	BLPFB732	Flat Tip Bit	7/32"
BLPHB732	Hex Bit	⁷ / ₃₂ "	BLPFB932	Flat Tip Bit	9/32"
BLPHB14	Hex Bit	1/4"	BLPFB316	Flat Tip Bit	3/16"
ВІРНВМЗ	Metric Hex Bit	3mm	BLPFB14	Flat Tip Bit	1/4"
BLPHBM4	Metric Hex Bit	4mm	BLPPB0	Phillips Tip Bit	#0
BLPHBM5	Metric Hex Bit	5mm	BLPPB1	Phillips Tip Bit	#1
ВІРНВМ6	Metric Hex Bit	6mm	BLPPB2	Phillips Tip Bit	#2
BLPTB10TP	Tamper Resistant Torx Bit	T10	BLPPB3	Phillips Tip Bit	#3
BLPTB15TP	Tamper Resistant Torx Bit	T15	BLPSQB1	Square Tip Bit	#1
BLPTB20TP	Tamper Resistant Torx® Bit	T20	BLPSQB2	Square Tip Bit	#2



