

Sockets, Ratchets & Accessories

Blue-Point sockets are made with a combination of high quality materials and the best manufacturing process available to ensure good fit and performance

High Grade Materials Composition

Made with proprietary high alloy content steel for a stronger, more durable tool

Best Industrial Manufacturing Process

In making each socket, we employ the best manufacturing process available, adhering to exact treatment parameters and conditions, to give it a good mixture of strength and durability

Socket Design

Our sockets are thin-walled with appropriate broach depth so that it provides greater access into more areas and fits better for more applications. We incorporate better design concept wherever applicable to make a better performing tool


Sockets manufactured to the highest quality

Sockets, Ratchets & Accessories

1/4"	18
3/8"	22
1/2"	27
3/4"	30




1/4" Socket




Stock No.	Size (mm)	Length (mm)
BLPSM143.5	3.5	25
BLPSM144	4	25
BLPSM144.5	4.5	25
BLPSM145	5	25
BLPSM145.5	5.5	25
BLPSM146	6	25
BLPSM147	7	25
BLPSM148	8	25
BLPSM149	9	25
BLPSM1410	10	25
BLPSM1411	11	25
BLPSM1412	12	25
BLPSM1413	13	25
BLPSM1414	14	25

1/4" Long Socket



Stock No.	Size (mm)	Length (mm)
BLPLSM144	4	50
BLPLSM145	5	50
BLPLSM146	6	50
BLPLSM147	7	50
BLPLSM148	8	50
BLPLSM149	9	50
BLPLSM1410	10	50
BLPLSM1411	11	50
BLPLSM1412	12	50
BLPLSM1413	13	50
BLPLSM1414	14	50


1/4" Socket



Stock No.	Size (inches)	Length (mm)
BLPS14532	5/32	25
BLPS14316	3/16	25
BLPS14732	7/32	25
BLPS1414	1/4	25
BLPS14932	9/32	25
BLPS14516	5/16	25
BLPS141132	11/32	25
BLPS1438	3/8	25
BLPS14716	7/16	25
BLPS1412	1/2	25
BLPS14916	9/16	25
BLPS1458	5/8	25


- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/4" Long Socket




Stock No.	Size (inches)	Length (mm)
BLPLS14316	3/16	50
BLPLS14732	7/32	50
BLPLS1414	1/4	50
BLPLS14932	9/32	50
BLPLS14516	5/16	50
BLPLS141132	11/32	50
BLPLS1438	3/8	50
BLPLS14716	7/16	50
BLPLS1412	1/2	50
BLPLS14916	9/16	50
BLPLS1458	5/8	50

1/4" Double Square Socket



Stock No.	Size (inches)	Length (mm)
BLPS81414	1/4	25
BLPS814516	5/16	25
BLPS81438	3/8	25

1/4" External Torx® Socket




Stock No.	Size	Length (mm)
BLPTE144	E4	25
BLPTE145	E5	25
BLPTE146	E6	25
BLPTE147	E7	25
BLPTE148	E8	25

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/4" Quick Release Ratchet

BPRT936




Square Drive (inches)	Description	Gear Teeth
1/4	Standard Handle	36
Swing Arc	A (mm)	B (mm)
10°	12	25
C (mm)	Repair Kit	
143	RKRBPRTR936	

- Features quick release button for rapid socket/ accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications
- Uses RKRBPRTR936 ratchet service kit

1/4" Quick Release Ratchet, Soft Grip


BPRT936SG



Square Drive (inches)	Description	Gear Teeth
1/4	Soft Grip Handle	36
Swing Arc	A (mm)	B (mm)
10°	12	25
C (mm)	Repair Kit	
143	RKRBPRTR936	

- Features quick release button for rapid socket/ accessory changes, even with greasy or oily hands
- Corrosive resistant bi-mold cushion grip for improved comfort and performance
- Chrome finish for easy clean-up. All ratchets in series meet or exceed ANSI B107-10M-1996 specifications
- Uses RKRBPRTR936 ratchet service kit

Finger Ratchet



Stock No.	Square Drive (inches)
FSD14	3/8 male-1/4 female
FSD38	1/4 male-3/8 female
FSDR	1/4 male-1/4 female

- Reversible, finger ratchet
- Small size works great for extremely tight areas
- Aluminum knurled outer ring for sure grip




1/4" Extension, Knurled



Stock No.	Length (mm)
BLPTXK1.5	40
BLPTXK2	51
BLPTXK3	76
BLPTXK4	102
BLPTXK6	152

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/4" Extension, Extra Long Locking




Stock No.	Length (mm)
BLPEXTL1412	305
BLPEXTL1418	457
BLPEXTL1424	610

- Smooth, durable chrome finish
- Made from tough 6130 steel
- Secure socket retention
- Lifetime warranty on individual extensions
- Do not use with power or impact tools

1/4" Flexible Extension

BLPEXTF146




Stock No.	Length (mm)
BLPEXTF146	152

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/4" Breaker Bar

BLPBB146




Stock No.	Length (mm)
BLPBB146	152

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/4" Sliding T-handle, 4"


BLPSTHD144



Stock No.	Length (mm)
BLPSTHD144	114

1/4" Spinner Handle

BLPCGHD146



Stock No.	Length (mm)
BLPCGHD146	152

1/4" Universal Joint

BLPUJ14




Stock No.	Length (mm)
BLPUJ14	38

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/4" Adaptor

BLPAFM1438



Stock No.	Internal Square Drive (inches)	External Square Drive (inches)
BLPAFM1438	1/4	3/8

1/4" Bit Holder

BLPTMBS1414



Stock No.	Length (mm)	Description
BLPTMBS1414	27	for 1/4" Hex Bits


1/4" Torx® Socket Driver



Stock No.	Size	Length (mm)
BLPTS148	T8	19
BLPTS1410	T10	19
BLPTS1415	T15	19
BLPTS1420	T20	19
BLPTS1425	T25	19
BLPTS1427	T27	19
BLPTS1430	T30	19
BLPTS1440	T40	19
BLPTS1445	T45	19
BLPTS1445	T47	19
BLPTS1450	T50	19

- The BLPTS Series of Stubby Torx® socket drivers feature a reduced fastener depth penetration to increase strength and improve fastener engagement
- Manufactured from S2 Steel for longer tool life

1/4" Hex Socket Driver



Stock No.	Size (mm)	Length (mm)
BLPHSM142	2	19
BLPHSM1425	2.5	19
BLPHSM143	3	19
BLPHSM144	4	19
BLPHSM145	5	19
BLPHSM146	6	19
BLPHSM147	7	19
BLPHSM148	8	19
BLPHSM149	9	19
BLPHSM1410	10	19

- The BLPTS Series of Stubby Hex socket drivers feature a reduced fastener depth penetration to increase strength and improve fastener engagement
- Manufactured from S2 Steel for longer tool life

1/4" Hex Socket Driver, Temper Resistant



Stock No.	Size (mm)	Length (mm)
BLPTHSM142	2	19
BLPTHSM1425	2.5	19
BLPTHSM143	3	19
BLPTHSM144	4	19
BLPTHSM145	5	19
BLPTHSM146	6	19
BLPTHSM147	7	19
BLPTHSM148	8	19
BLPTHSM149	9	19
BLPTHSM1410	10	19

- The BLPTHSM Series of Stubby Hex Tamper Resistant socket drivers feature a reduced fastener depth penetration to increase strength and improve fastener engagement
- Manufactured from S2 Steel for longer tool life

1/4" Phillips® Socket Driver



Stock No.	Size	Length (mm)
BLPP140	#0	37
BLPP141	#1	37
BLPP142	#2	37
BLPP143	#3	37
BLPP144	#4	37

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/4" Phillips® Socket Driver, Stubby



Stock No.	Size	Length (mm)
BLPPS141	#1	19
BLPPS142	#2	19

- Stubby Phillips® socket drivers feature a reduced fastener depth penetration to increase strength and improve fastener engagement
- Manufactured from S2 Steel for longer tool life

1/4" Pozidriv® Socket Driver



Stock No.	Size	Length (mm)
BLPPD141	#1	37
BLPPD142	#2	37
BLPPD143	#3	37

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/4" Flat Tip Socket Driver, Standard

Stock No.	Size (inches)	Length (mm)
BLPFT14532	5/32	37
BLPFT14732	7/32	37
BLPFT14932	9/32	37

1/4" Flat Tip Socket Driver, Short

Stock No.	Size (inches)	Length (mm)
BLPFS1414	1/4	19
BLPFS1438	3/8	19

1/4" Triple Square Socket Driver

Stock No.	Size	Length (mm)
BLPXZNM145	M5	100
BLPXZNM146	M6	100
BLPXZNM148	M8	100
BLPXZNM1410	M10	100
BLPXZNM1412	M12	100
BLPXZNM1414	M14	100
BLPXZNM1416	M16	100
BLPXZNM1410	M10	120
BLPXZNM1412	M12	140

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/4" Triple Square Socket Driver

Stock No.	Size (mm)	Length (mm)
BLPXZN144	4	27
BLPXZN145	5	27
BLPXZN146	6	27
BLPXZN148	8	27
BLPXZN1410	10	27
BLPXZN1412	12	27

3/8" Socket

Stock No.	Size (mm)	Length (mm)
BLPSM386	6	25.5
BLPSM387	7	25.5
BLPSM388	8	25.5
BLPSM389	9	25.5
BLPSM3810	10	25.5
BLPSM3811	11	25.5
BLPSM3812	12	25.5
BLPSM3813	13	25.5
BLPSM3814	14	27
BLPSM3815	15	27

3/8" Long Socket

Stock No.	Size (mm)	Length (mm)
BLPLM386	6	64
BLPLM387	7	64
BLPLM388	8	64
BLPLM389	9	64
BLPLM3810	10	64
BLPLM3811	11	64
BLPLM3812	12	64
BLPLM3813	13	64
BLPLM3814	14	64
BLPLM3815	15	64

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

3/8" Socket

Stock No.	Size (inches)	Length (mm)
BLPS3814	1/4	25
BLPS38516	5/16	25
BLPS3838	3/8	25
BLPS38716	7/16	25
BLPS3812	1/2	25
BLPS38916	9/16	27
BLPS3858	5/8	27
BLPS381116	11/16	27
BLPS3834	3/4	29
BLPS381316	13/16	29
BLPS3878	7/8	29
BLPS381516	15/16	29
BLPS381	1	29

3/8" Long Socket

Stock No.	Size (inches)	Length (mm)
BLPL3814	1/4	64
BLPL38516	5/16	64
BLPL3838	3/8	64
BLPL38716	7/16	64
BLPL3812	1/2	64
BLPL38916	9/16	64
BLPL3858	5/8	64
BLPL381116	11/16	64
BLPL3834	3/4	64
BLPL381316	13/16	64
BLPL3878	7/8	64
BLPL381516	15/16	64
BLPL381	1	64

3/8" External Torx® Socket

Stock No.	Size	Length (mm)
BLPTE384	E4	31
BLPTE385	E5	31
BLPTE386	E6	31
BLPTE387	E7	31
BLPTE388	E8	31
BLPTE3810	E10	31
BLPTE3811	E11	31
BLPTE3812	E12	31
BLPTE3814	E14	31
BLPTE3816	E16	31
BLPTE3818	E18	31
BLPTE3820	E20	31

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

3/8" Spark Plug Socket

Stock No.	Size (mm)	Length (mm)
BLPSPS3816	16	65
BLPSPS3821	21	57

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

3/8" Spark Plug Socket

Stock No.	Size (inches)	Length (mm)
BLPSPS3858	5/8	65
BLPSPS381316	13/16	57

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

3/8" Quick Release Ratchet

BPRFR938

Square Drive (inches)	Description	Gear Teeth
3/8	Standard Handle	38
Swing Arc	A (mm)	B (mm)
9.5°	14	33
C (mm)	Repair Kit	
197	RKRBPFR938	

- Features quick release button for rapid socket/ accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications

3/8" Quick Release Ratchet, Soft Grip

BPRFR938SG

Square Drive (inches)	Description	Gear Teeth
3/8	Soft Grip Handle	38
Swing Arc	A (mm)	B (mm)
9.5°	14	33
C (mm)	Repair Kit	
197	RKRBPFR938	

- Features quick release button for rapid socket/ accessory changes, even with greasy or oily hands
- Corrosive resistant bi-mold cushion grip for improved comfort and performance
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications

Finger Ratchet



Stock No.	Square Drive (inches)
FSDR1	3/8 male-1/4 female
FSD1	3/8 male-3/8 female

- Reversible, finger ratchet
- Small size works great for extremely tight areas
- Aluminum knurled outer ring for sure grip


3/8" Extension, Knurled



Stock No.	Length (mm)
BLPEXTK383	75
BLPEXTK386	150
BLPEXTK3810	252

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards


3/8" Locking Extension



Stock No.	Length (mm)
FXLBP3	76
FXLBP6	152
FXLBP10	254

- Smooth, durable chrome finish
- Made from tough 6130 steel
- Secure socket retention
- Lifetime warranty on individual extensions
- Do not use with power or impact tools

3/8" Extension, Extra Long Locking



Stock No.	Length (mm)
BLPEXTL3812	305
BLPEXTL3818	457
BLPEXTL3824	610

3/8" Breaker Bar

BLPBB3810



Stock No.	Length (mm)
BLPBB3810	253

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

3/8" Sliding T-handle

BLPSTHD388



Stock No.	Length (mm)
BLPSTHD388	197

3/8" Universal Joint

BLPUJ38



Stock No.	Length (mm)
BLPUJ38	52

3/8" Adaptor



Stock No.	Internal Square Drive (inches)	External Square Drive (inches)
BLPAFM3814	3/8	1/4
BLPAFM3812	3/8	1/2

3/8" Bit Holder


BLPTMBS3814



Stock No.	Length (mm)	Description
BLPTMBS3814	19	For 1/4 Hex Bits

3/8" Spinner Handle

BLPCGHD388



Stock No.	Length (mm)
BLPCGHD388	219

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

Pass Thru Socket




Stock No.	Size	Length (mm)	Stock No.	Size (mm)	Length (mm)
BLPPTS38	3/8"	37	BLPPTSM11	11	37
BLPPTS716	7/16"	37	BLPPTSM12	12	37
BLPPTS12	1/2"	37	BLPPTSM13	13	37
BLPPTS916	9/16"	37	BLPPTSM14	14	37
BLPPTS58	5/8"	37	BLPPTSM15	15	37
BLPPTS1116	11/16"	37	BLPPTSM16	16	37
BLPPTS34	3/4"	37	BLPPTSM17	17	37
BLPPTSM8	8MM	37	BLPPTSM18	18	37
BLPPTSM9	9MM	37	BLPPTSM19	19	37
BLPPTSM10	10MM	37			

- Pass thru socket design avoids "bottoming out" on long fasteners and threaded rods
- Sockets can reach fasteners in tight spaces with relative ease

Pass Thru Ratchet

BPRFPT10




Stock No.	Length (mm)
BPRFPT10	254

- Ratchet features a flex head design that allows for seven different locking positions

Pass Thru Extension

BLPPTXT3



Stock No.	Length (mm)
BLPPTXT3	76

- 3" extension
- 3/8" drive

3/8" Square Drive Pass Thru Adapter

BLPPTA3438



Stock No.	Length (mm)
BLPPTA3438	32

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

3/8" Torx[®] Socket Driver



Stock No.	Size	Length (mm)
BLPTS3810	T10	48
BLPTS3815	T15	48
BLPTS3820	T20	48
BLPTS3825	T25	48
BLPTS3827	T27	48
BLPTS3830	T30	48
BLPTS3840	T40	51
BLPTS3845	T45	51
BLPTS3850	T50	51
BLPTS3855	T55	51
BLPTS3860	T60	51

3/8" Hex Socket Driver



Stock No.	Size (mm)	Length (mm)
BLPH383	3	47
BLPH384	4	47
BLPH385	5	47
BLPH386	6	47
BLPH387	7	47
BLPH388	8	50.5
BLPH3810	10	50.5

3/8" Torx[®] Socket Driver, Tamper Resistant



Stock No.	Size	Length (mm)
BLPT3840TP	T40	51
BLPT3845TP	T45	51
BLPT3850TP	T50	51
BLPT3855TP	T55	51
BLPT3860TP	T60	51

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

3/8" Triple Square Socket Driver



Stock No.	Size	Length (mm)
BLPXZNM384	M4	27
BLPXZNM385	M5	27
BLPXZNM386	M6	27
BLPXZNM388	M8	27
BLPXZNM3810	M10	27
BLPXZNM3812	M12	27
BLPXZNM3814	M14	27
BLPXZNM3816	M16	27
BLPXZNM3818	M18	27

1/2" Socket



Stock No.	Size (mm)	Length (mm)	Stock No.	Size (mm)	Length (mm)
BLPSM128	8	38	BLPSM1219	19	38
BLPSM129	9	38	BLPSM1220	20	38
BLPSM1210	10	38	BLPSM1221	21	38
BLPSM1211	11	38	BLPSM1222	22	38
BLPSM1212	12	38	BLPSM1223	23	38
BLPSM1213	13	38	BLPSM1224	24	38
BLPSM1214	14	38	BLPSM1227	27	38
BLPSM1215	15	38	BLPSM1230	30	38
BLPSM1216	16	38	BLPSM1232	32	38
BLPSM1217	17	38	BLPSM1234	34	38
BLPSM1218	18	38	BLPSM1236	36	38
BLPSM1218	18	38			

3/8" Phillips[®] Socket Driver



Stock No.	Size	Length (mm)
BLPP381	#1	47
BLPP382	#2	47
BLPP383	#3	47
BLPP384	#4	47

3/8" Pozidriv[®] Socket Driver



Stock No.	Size	Length (mm)
BLPPD381	#1	47
BLPPD382	#2	47
BLPPD383	#3	47
BLPPD384	#4	47

3/8" Flat Socket Driver



Stock No.	Size (mm)	Length (mm)
BLPFT3855	5.5	47
BLPFT3865	6.5	47
BLPFT388	8	47

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/2" Long Socket



Stock No.	Size (mm)	Length (mm)
BLPLM1210	10	76
BLPLM1211	11	76
BLPLM1212	12	76
BLPLM1213	13	76
BLPLM1214	14	76
BLPLM1215	15	76
BLPLM1216	16	76
BLPLM1217	17	76
BLPLM1218	18	76
BLPLM1219	19	76
BLPLM1220	20	76
BLPLM1221	21	76
BLPLM1222	22	76
BLPLM1224	24	76
BLPLM1227	27	76
BLPLM1230	30	76
BLPLM1232	32	76

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/2" Socket



Stock No.	Size (inches)	Length (mm)	Stock No.	Size (inches)	Length (mm)
BLPS12516	5/16	38	BLPS121316	13/16	38
BLPS1238	3/8	38	BLPS1278	7/8	38
BLPS12716	7/16	38	BLPS121516	15/16	40
BLPS1212	1/2	38	BLPS121	1	40
BLPS12916	9/16	38	BLPSB121116	1 1/16	40
BLPS1258	5/8	38	BLPSB121118	1 1/8	44
BLPS121116	11/16	38	BLPSB121316	1 3/16	44
BLPS1234	3/4	38	BLPSB12114	1 1/4	44

1/2" Long Socket



Stock No.	Size (inches)	Length (mm)
BLPL1238	3/8	76
BLPL12716	7/16	76
BLPL1212	1/2	76
BLPL12916	9/16	76
BLPL1258	5/8	76
BLPL121116	11/16	76
BLPL1234	3/4	76
BLPL121316	13/16	76
BLPL1278	7/8	76
BLPL121516	15/16	76
BLPL121	1	76
BLPLB121116	1 1/16	76
BLPLB121118	1 1/8	76
BLPLB125114	1 1/4	76

1/2" Double Hex Socket

Stock No.	Size (mm)	Length (mm)
BLPDM128	8	38
BLPDM129	9	38
BLPDM1210	10	38
BLPDM1211	11	38
BLPDM1212	12	38
BLPDM1213	13	38
BLPDM1214	14	38
BLPDM1215	15	38
BLPDM1216	16	38
BLPDM1217	17	38
BLPDM1218	18	38
BLPDM1219	19	38
BLPDM1220	20	38
BLPDM1221	21	38
BLPDM1222	22	38
BLPDM1223	23	38
BLPDM1224	24	38
BLPDM1227	27	38
BLPDM1230	30	38
BLPDM1232	32	38

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/2" Double Hex Socket

Stock No.	Size (inches)	Length (mm)
BLPD12516	5/16	38
BLPD1238	3/8	38
BLPD12716	7/16	38
BLPD1212	1/2	38
BLPD12916	9/16	38
BLPD1258	5/8	38
BLPD121116	11/16	38
BLPD1234	3/4	38
BLPD121316	13/16	38
BLPD1278	7/8	41
BLPD121516	15/16	41
BLPD121	1	41
BLPDB121116	1-1/16	44
BLPDB12118	1-1/8	44
BLPDB12114	1-1/4	44

1/2" External Torx® Socket

Stock No.	Size	Length (mm)
BLPTE1210	E10	38
BLPTE1212	E12	38
BLPTE1214	E14	38
BLPTE1216	E16	38
BLPTE1218	E18	38
BLPTE1220	E20	38
BLPTE1222	E22	38
BLPTE1224	E24	38

1/2" Quick Release Ratchet, Soft Grip

BPRS940SG

Square Drive (inches)	Description	Gear Teeth
1/2	Soft Grip Handle	40
Swing Arc	A (mm)	B (mm)
9°	18	44
C (mm)	Repair Kit	
103	RKRBPRS940	

1/2" Extension Knurled

Stock No.	Length (mm)
BLPEXTK123	76
BLPEXTK125	127
BLPEXTK126	152
BLPEXTK1210	254

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/2" Locking Extension

Stock No.	Length (mm)
SXLBP3	76
SXLBP6	152
SXLBP10	254

1/2" Breaker Bar

Stock No.	Length (mm)
BLPBB1210	254
BLPBB1215	381
BLPBB1224	305-610

1/2" Sliding T-handle

BLPSTHD1215

Stock No.	Length (mm)
BLPSTHD1215	381

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/2" Universal Joint

BLPUJ12

Stock No.	Length (mm)
BLPUJ12	70

1/2" Spark Plug Socket

Stock No.	Size (mm)	Length (mm)
BLPSPS1216	16	65
BLPSPS1221	21	57

1/2" Spark Plug Socket

Stock No.	Size (inches)	Length (mm)
BLPSPS1258	5/8	65
BLPSPS121316	13/16	57

1/2" Quick Release Ratchet

BPRS940

Square Drive (inches)	Description	Gear Teeth
1/2	Standard Handle	40
Swing Arc	A (mm)	B (mm)
9°	18	44
C (mm)	Repair Kit	
251	RKRBPRS940	

- Features quick release button for rapid socket/ accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications

1/2" Adaptor

BLPAFM1238

Stock No.	Description	Length (mm)
BLPAFM1238	1/2 female - 3/8 male	37

1/2" Sliding Head

BLPSH1238

Stock No.	Internal Square Drive (inches)	External Square Drive (inches)
BLPSH1238	1/2	3/8

1/2" Speeder


BLPS12

Stock No.	Length (mm)
BLPS12	457

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards


- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/2" Torx® Socket Driver




Stock No.	Size	Length (mm)
BLPT1220	T20	37
BLPT1225	T25	37
BLPT1227	T27	37
BLPT1230	T30	37
BLPT1240	T40	37
BLPT1245	T45	37
BLPT1250	T50	37
BLPT1255	T55	37
BLPT1260	T60	37

1/2" Hex Socket Driver



Stock No.	Size (mm)	Length (mm)	Stock No.	Size (mm)	Length (mm)
BLPH123	3	36.5	BLPH1217	17	36.5
BLPH124	4	36.5	BLPH1219	19	36.5
BLPH125	5	36.5	BLPH125L180	5	180
BLPH126	6	36.5	BLPH126L70	6	70
BLPH127	7	36.5	BLPH126L140	6	140
BLPH128	8	36.5	BLPH126L250	6	250
BLPH1210	10	36.5	BLPH128L120	8	120
BLPH1212	12	36.5	BLPH1210L140	10	140
BLPH1214	14	36.5			


1/2" Triple Square Socket Driver



Stock No.	Size (inches)	Length (mm)
BLPXZNM125	M5	37
BLPXZNM126	M6	37
BLPXZNM128	M8	37
BLPXZNM1210	M10	37
BLPXZNM1212	M12	37
BLPXZNM1214	M14	37
BLPXZNM1216	M16	37


- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

1/2" Long Torx® Socket Driver




Stock No.	Size	Length (mm)
BLPTL1220	T20	100
BLPTL1225	T25	100
BLPTL1227	T27	100
BLPTL1230	T30	100
BLPTL1240	T40	100
BLPTL1245	T45	100
BLPTL1250	T50	100
BLPTL1255	T55	100
BLPTL1260	T60	100

1/2" Long Hex Socket Driver



Stock No.	Size (mm)	Length (mm)
BLPHL124	4	100
BLPHL125	5	100
BLPHL126	6	100
BLPHL127	7	100
BLPHL128	8	100
BLPHL1210	10	100
BLPHL1212	12	100
BLPHL1214	14	100
BLPHL1217	17	100

3/4" Double Hex Socket




Stock No.	Size (mm)	Length (mm)	Stock No.	Size (mm)	Length (mm)
BLPDM3419	19	47	BLPDM3432	32	58
BLPDM3421	21	47	BLPDM3433	33	60
BLPDM3422	22	47	BLPDM3434	34	60
BLPDM3423	23	50	BLPDM3435	35	60
BLPDM3424	24	50	BLPDM3436	36	63
BLPDM3425	25	53	BLPDM3438	38	63
BLPDM3426	26	53	BLPDM3440	40	66
BLPDM3427	27	53	BLPDM3446	46	68
BLPDM3428	28	53	BLPDM3450	50	68
BLPDM3429	29	53	BLPDM3455	55	69
BLPDM3430	30	58	BLPDM3460	60	72

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

3/4" Quick Release Ratchet


BPISR942



Stock No.	Square Drive (inches)	Length (mm)
BPISR942	1/4	143

- Features quick release button for rapid socket/ accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications

3/4" Extension




Stock No.	Length (mm)
BLPEXT344	102
BLPEXT348	203
BLPEXT3416	406

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

3/4" Universal Joint


BLPUJ34



Stock No.	Length (mm)
BLPUJ34	110

3/4" Breaker Bar


BLPBB3419



Stock No.	Length (mm)
BLPBB3419	483

3/4" Sliding T-handle


BLPSTHD3418



Stock No.	Length (mm)
BLPSTHD3418	457

3/4" L-Shape Wrench

BLPLW3415



Stock No.	Length (mm)
BLPLW3415	381

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards