




Percussive Index

Hammers								. 29
Scalers								. 29
Percussive Accessories								.30

Hammering Home A Point

Percussive tools, such as hammers, chippers and scalers, are commonly used in very abusive environments found in industries such as Foundry and Construction. Sioux Tools offers a variety of sizes, capacities and accessories built durable to ensure long life under tough operating conditions. We build them to work hard on the job,but not on you!

Force Tools



HAMMERS SCALERS



- Aluminum housing
- Stroke length: 1.6" (41 mm)
- Bore diameter: 0.8" (20 mm)
- Blows per minute: 4800
- Weight 3.0 lb (1.4 kg)
- Length: 5.8" (147 mm)
- Air inlet size: 1/4" NPT
- Recommended hose size: 3/8" (10 mm)



- Bore diameter: 0.9" (23 mm)
- Blows per minute: 3000
- Weight 5.7 lb (2.6 kg)
- Length: 13.5" (340 mm)
- Air inlet size: 1/4" NPT
- Recommended hose size: 3/8" (10 mm)
- 19 0.12" (3 mm) Dia. x 7 (180 mm) long needles included



Hammer

Model No. 5273A

- Spring retainer
- Accepts .401 Parker Taper shanks
- · Built-in Air Regulator
- Hardened steel barrel and piston
- · Aluminum housing
- Stroke length: 2.6" (66 mm)
- Bore diameter: 0.8" (20 mm)
- Blows per minute: 3200
- Weight 3.8 lb (1.7 kg)
- Length: 7.1" (180 mm)
- Air inlet size: 1/4" NPT
- Recommended hose size: 3/8" (10 mm)



Mini Needle Scaler

Model No. 5263

- Steel housing
- Hardened steel barrel and piston
- Stroke length: 2.0" (51 mm)
- Bore diameter: .7" (18 mm)
- Blows per minute: 4000
- Weight 2.6 lb (1.2 kg)
- Length: 11.4" (290 mm)
- Air inlet size: 1/4" NPT
- Recommended hose size: 3/8" (10 mm)
- 19 0.12" (3 mm) Dia. x 5" (125 mm) long needles included



- Accepts .401 Parker Taper shanks
- Built-in Air Regulator
- Hardened steel barrel and piston
- Aluminum pistol-grip housing
- Stroke length: 3.8" (97 mm)
- Bore diameter: 0.8" (20 mm) • Blows per minute: 2200
- Weight 4.7 lb (2.1 kg)
- Length: 9.3" (236 mm)
- Air inlet size: 1/4" NPT
- Recommended hose size: 3/8" (10 mm)



Needle Scaler

Model No. 5266

- Steel housing
- Hardened steel barrel and piston
- Stroke length: 2.0" (51 mm)
- Bore diameter: 1.0" (25 mm)
- Blows per minute: 4000
- Weight 5.7 lb (2.6 kg)
- Length: 16.1" (409 mm)
- Air inlet size: 1/4" NPT
- Recommended hose size: 3/8" (10 mm)
- 19 0.12" (3 mm) Dia. x 7" (180 mm) long needles included

PERCUSSIVE ACCESSORIES



Beehive Spring Retainers

Part Number	Description						
2207	Chisel Retainer Spring						
2208	Special Spring, use in place of 2207 with 2201,						
	2205, 2716, 2217, 2219 and 2220						



270 Rivet Sets

3-1/2" Overall Length

Rivet Head	Rivet Diameter Size								
Cupping	3/32" Part No	1/8" Part No	5/32" Part No	3/16" Part No	1/4" Part No				
Button Head	2228B	2229	2230B	2231	2244				
Round Head	2232	2233	2234B	2235	2245				
Brazier Head	2236	2237B	2238	2239	2246				
Universal Head	2240	2241B	2242B	2243	2247				



2270

Hammer Chuck

Part Number	Description	For Use ON					
2270	Quick change air hammer chuck	5272A, 5273A, 5274A					

2260

Scaling Needles

Part Number	Diameter	Length	Quantity	Used On
2260B	0.12"	5"	19	Scalers
2262	0.12"	7"	19	Scalers

Hammer Accessories

.401 Parker Taper shank

Part Number	Description	Wie	dth	Length		
Part Number	Description		mm	in	mm	
2201	Cutter	5/8	16	6	150	
2202	Chisel	5/8	16	6	150	
2203	Rivet Buster	5/8	16	5-1/2	140	
2204	Expansion Chisel	5/8	16	11	280	
2205	Scraper	1-1/4	30	6	150	
2206	Punch			7	175	
2210B	Punch			5	127	
2217B	Rust Breaker			5-1/4	135	
2212	Spot Weld Breaker			6	150	
2213	Splitter			8	200	
2214B	Edging Chisel			5	140	
2215	Blank Chisel			6	150	
2216	Fork Chisel			6-7/8	175	
2218	Bushing Cutter			7	175	
2219	Bushing Driver			4-1/2	115	
2220	Bushing Chisel	1-5/8	40	7	175	

