

PRYBAR AND COMFORT GRIP PUNCH & CHISEL HOLDER

- Adjustable screw allows holder to be used with most punches and chisels.
- Holder keeps operator's hand safely away from swinging motion of the striking tool.
- · Handles are resistant to solvents, gasoline and oil.
- Lightweight, plastic handle with thumb stop provides both comfort and control during use.
- Prybars designed for powerful leverage and available in 8", 12", 18" and 24" length.



DEADBLOW HAMMERS

- Deadblow feature minimizes hammer bounce back, reducing fatigue and improving productivity.
- Hard urethane construction resists cut damage to the hammer head and will not absorb liquids.
- Urethane material provides a non-marring contact surface that will not damage equipment and is non-sparking — no metal-to-metal contact.
- HI-VIS yellow color allows for easier and quicker location of hammer at the job site.
- Handles are designed for user comfort and maximum performance.











Deadblow Hammers

Ergonomically Designed Handles

| Product Code | Weight (ozs.) | Overall Length (Inches) | Head Length (Inches) | Face Diameter (Inches) |
|--------------|---------------|--------------------------------|-------------------------------|--------------------------------------|
| JHW-16 | 16 | 12 | 3 ¹ / ₄ | 1 9/16 |
| JHW-24 | 24 | 12 ³ / ₄ | 3 ³ / ₄ | 1 ³ / ₄ |
| JHW-32 | 32 | 13 ¹ / ₂ | 4 ¹ / ₄ | 2 |
| JHW-48 | 48 | 15 | 4 3/4 | 2 ¹ / ₄ |
| JHW-56 | 56 | 15 ³ / ₄ | 5 ⁷ /16 | 2 ³ / ₄ |



Features

- Hard urethane construction resists cut damage to hammer head. Head provides a non-marring contact surface that will not damage equipment.
- · Deadblow feature minimizes hammer bounce back, reducing fatigue and improving productivity.



Extreme Power Drive Hammers

Fiberglass Handles with Cushion Grip and **Shot-Filled Heads**

| Product Code | Weight (ozs.) | Head Length (Inches) | Overall Length (Inches) | Face Diameter (Inches) |
|--------------|---------------|--------------------------------|--------------------------------|------------------------|
| HPDX-1 | 16 | 12 ¹ / ₂ | 17 | 1 1/2 |
| HPDX-2 | 32 | 13 ³ / ₄ | 18 ³ / ₄ | 2 |
| HPDX-3 | 48 | 14 ¹ / ₂ | 20 | 2 1/4 |
| HPDX-4 | 64 | 15 ¹ / ₂ | 21 ³ / ₄ | 2 ⁵ /8 |

Features

- Urethane face greatly improves durability
 Durable design for a long lasting hammer.





Extreme Power Drive Hammers

Fiberglass Handles with Cushion Grip and Shot-Filled Heads

| Product Code | Weight (ozs.) | Head Length (Inches) | Overall Length (Inches) | Face Diameter (Inches) |
|--------------|---------------|--------------------------------|--------------------------------|------------------------|
| HPDX-1 | 16 | 12 ¹ / ₂ | 17 | 1 1/2 |
| HPDX-2 | 32 | 13 ³ / ₄ | 18 ³ / ₄ | 2 |
| HPDX-3 | 48 | 14 ¹ / ₂ | 20 | 2 1/4 |
| HPDX-4 | 64 | 15 1/2 | 21 ³ / ₄ | 2 5/8 |

Features

- · Urethane face greatly improves durability.
- Durable design for a long lasting hammer.



WILLIAMS

Ball Pein Hammers

Fiberglass Handles with Cushion Grip

| Product Code | Weight (ozs.) | Handle Length (Inches) | Overall Length (Inches) | Face Diameter (Inches) |
|--------------|---------------|--------------------------------|--------------------------------|-------------------------------|
| 20542 | 8 | 9 1/2 | 10 3/4 | 7/8 |
| 20543 | 12 | 10 ¹ / ₄ | 11 ³ / ₄ | 7/8 |
| 20544 | 16 | 11 ¹ / ₄ | 13 | 1 ⁷ /8 |
| 20545 | 24 | 13 | 15 | 1 ¹ / ₄ |
| 20546 | 32 | 12 ³ / ₄ | 15 | 1 ¹ / ₄ |

- Ideal for driving punches, chisels and other metal work.
- Fiberglass handle has a cushion grip for greater comfort and safety.
- Hammer heads are drop-forged from specially selected steel and carefully heat treated for dependable strength, hardness and





Ball Pein Hammers

Wood Handle

| Product Code | Weight (ozs.) | Handle Length (Inches) | Overall Length (Inches) | Face Diameter (Inches) |
|--------------|---------------|----------------------------------|--------------------------------|-------------------------------|
| HBP-5-0 | 4 | 9 5/16 | 10 ¹ / ₄ | 3/4 |
| HBP-3-0 | 8 | 11 | 12 ¹ / ₄ | 7/8 |
| HBP-2-0 | 12 | 11 5/8 | 13 ¹ / ₈ | 7/8 |
| HBP-0 | 16 | 12 ⁵ /8 | 14 ¹ / ₄ | 1 7/8 |
| HBP-2 | 24 | 13 ¹³ / ₁₆ | 15 ⁵ /8 | 1 1/4 |
| HBP-4 | 32 | 13 ¹ / ₂ | 15 ¹ / ₂ | 1 ¹ / ₄ |
| HBP-6 | 40 | 13 ³ / ₁₆ | 15 ³ / ₈ | 1 ³ / ₈ |

Features

- Ideal for driving punches, chisels and other metal work.
- Wooden handles, which are made from white hickory and clear lacquered, are permanently wedged in to the heads.
- Hammer heads are drop-forged from specially selected steel and carefully heat treated for dependable strength, hardness, and uniformity.



WILLIAMS

Drilling Hammer

Fiberglass Handles with Cushion Grip

| Product Code | Weight (ozs.) | Handle Length (Inches) | Overall Length (Inches) |
|--------------|---------------|---------------------------|--------------------------------|
| 20678 | 32 | 8 1/2 | 10 ¹ / ₄ |

Features

- Handles are durable and comfortable.
- · Heavy duty construction for strength and durability.



WILLIAMS

Cross Pein Hammer

Fiberglass Handles with Cushion Grip

| 3 | | | |
|--------------|---------------|---------------------------|--------------------------------|
| Product Code | Weight (ozs.) | Handle Length (Inches) | Overall Length (Inches) |
| 20651 | 48 | 13 | 15 ³ / ₄ |

- Handles are durable and comfortable.
- · Heavy duty construction for strength and durability.











WILLIAMS

Claw Hammers

Fiberglass Handles with Cushion Grip

| Product Code | Style | Weight (ozs.) | Handle Length (Inches) | Overall Length (Inches) |
|--------------|--------------|---------------|--------------------------------|----------------------------|
| 20402 | Ripping Claw | 16 | 10 3/4 | 13 |
| 20401 | Curved Claw | 20 | 10 ³ / ₄ | 13 |

Features

- Handles are durable and comfortable.
- Heavy duty construction for strength and durability.





Brass Hammers

Fiberglass Handles with Cushion Grip

| Product Code | Weight Class (lbs) | Handle Length (Inches) | Overall Length (Inches) | Face Diameter (Inches) |
|--------------|-----------------------|--------------------------------|-------------------------|-------------------------------|
| HSB-1.5 | 1 1/2 | 10 ³ / ₈ | 12 | 1 |
| HSB-2.5 | 2 1/2 | 10 ¹ / ₈ | 12 | 1 ¹ / ₄ |
| HSB-4 | 4 | 9 7/8 | 12 | 1 ⁵ / ₈ |

- Made in U.S.A. · Ideal for applications which require non-sparking conditions.
- The flat surface brass head absorbs impact blows, reduces rebound and helps eliminate marred work surfaces.
- Non-slip cushion grip provides greater comfort and safety.





Soft-Face and Shot Filled Soft-Face Hammer Body

Fiberglass Handles with Cushion Grip

| Product Code | Weight Class (ozs.) | Head Length (Inches) | Handle Length (Inches) | Overall Length (Inches) | Head Diameter (Inches) |
|--------------|---------------------|-------------------------|---------------------------------|--------------------------------|------------------------|
| HSF-152A | 20 | 4 | 11 ¹ / ₁₆ | 13 | 1 1/2 |
| HSF-202A | 40 | 4 1/8 | 10 ³ / ₄ | 13 ¹ / ₂ | 2 |

Features

- Shot filled head reduces rebound for safety and transmits more force to the work.
- · Handles are durable and comfortable.
- · Heavy duty construction for strength and durability.
- · Use with Soft-Face hammer tips below.
- · Match head diameter with tip diameter for proper fit.
- Tips are not included with hammer body.

WILLIAMS

Soft-Face and Shot Filled Soft-Face Hammer Body

Fiberglass Handles with Cushion Grip

| Product Code | Weight Class (ozs.) | Head Length (Inches) | Handle Length (Inches) | Overall Length (Inches) | Head Diameter (Inches) |
|--------------|---------------------|-------------------------|---------------------------------|--------------------------------|------------------------|
| HSF-100A | 5 | 2 | 10 ³ / ₁₆ | 11 ¹/s | 1 |
| HSF-105A | 8 | 2 | 10 ³ / ₁₆ | 11 ¹ / ₈ | 1 |
| HSF-150A | 12 | 21/2 | 10 13/16 | 12 5/16 | 1 1/2 |
| HSF-151A | 16 | 1 1/2 | 12 1/2 | 14 | 1 1/2 |
| HSF-155A | 20 | 23/8 | 10 ⁷ /8 | 12 7/16 | 1 1/2 |
| HSF-200A | 20 | 2 1/2 | 11 ⁵ /8 | 13 ¹ / ₂ | 2 |
| HSF-205A | 32 | 2 1/2 | 11 ⁹ / ₁₆ | 13 ¹ / ₂ | 2 |
| HSF-250A | 32 | 3 1/4 | 12 1/2 | 14 ³ / ₄ | 2 1/2 |
| HSF-255A | 64 | 3 1/4 | 12 ⁵ / ₁₆ | 14 ³ / ₄ | 2 1/2 |
| HSF-300A | 56 | 33/4 | 12 ⁷ /8 | 14 ³ / ₄ | 3 |
| HSF-305A | 96 | 3 3/4 | 11 3/4 | 14 ³ / ₄ | 3 |
| | | | | | |



- Handles are durable and comfortable.
- · Heavy duty construction for strength and durability
- · Use with Soft-Face hammer tips below.
- Match head diameter with tip diameter for proper fit.
- Tips are not included with hammer body.








Soft-Face Hammer Tips

Heavy Duty

| Product Code | Hardness | Tip Diameter (Inches) | Color |
|--------------|-------------|-----------------------|--------|
| HSF-10S | Soft | 1 | Brown |
| HSF-15S | Soft | 1 1/2 | Brown |
| HSF-20S | Soft | 2 | Brown |
| HSF-25S | Soft | 2 1/2 | Brown |
| HSF-30S | Soft | 3 | Brown |
| HSF-10M | Medium | 1 | Red |
| HSF-15M | Medium | 1 1/2 | Red |
| HSF-20M | Medium | 2 | Red |
| HSF-25M | Medium | 2 1/2 | Red |
| HSF-30M | Medium | 3 | Red |
| HSF-10N | Medium Hard | 1 | Cream |
| HSF-15N | Medium Hard | 1 1/2 | Cream |
| HSF-20N | Medium Hard | 2 | Cream |
| HSF-25N | Medium Hard | 2 1/2 | Cream |
| HSF-30N | Medium Hard | 3 | Cream |
| HSF-10H | Hard | 1 | Black |
| HSF-15H | Hard | 1 1/2 | Black |
| HSF-20H | Hard | 2 | Black |
| HSF-25H | Hard | 2 1/2 | Black |
| HSF-30H | Hard | 3 | Black |
| HSF-10XH | Extra Hard | 1 | Yellow |
| HSF-15XH | Extra Hard | 1 1/2 | Yellow |
| HSF-20XH | Extra Hard | 2 | Yellow |
| HSF-25XH | Extra Hard | 2 1/2 | Yellow |
| HSF-30XH | Extra Hard | 3 | Yellow |
| HSF-10T | Tough | 1 | Green |
| HSF-15T | Tough | 1 1/2 | Green |
| HSF-20T | Tough | 2 | Green |
| HSF-25T | Tough | 2 1/2 | Green |
| HSF-30T | Tough | 3 | Green |











HSF-20S



HSF-20M



HSF-20T













8 Piece Soft-Face Hammer Body and Tip Set

Fiberglass Handles with Cushion Grip

| Product Code | Description |
|--------------|---|
| HSF-8SET | 8 Piece Soft Face Hammer Body and Tip Set |

Contents Include:

| Product Code | Weight Class | Head Length (Inches) | Handle Length (Inches) | Overall Length (Inches) | Head Diameter (Inches) | |
|----------------------|-----------------|-------------------------|---------------------------|-------------------------------|------------------------------|--|
| HSF-151A | 16 oz. | 1 1/2 | 12 1/2 | 14 | 1 1/2 | |
| Product Code | Hardness | | Tip Diameter (Inches) | Color | | |
| HSF-15S | | Soft | 1 1/2 | Brown | | |
| HSF-15M | N | 1edium | $1^{-1}/_{2}$ | | Red | |
| HSF-15N | Medium Hard | | $1^{-1}/_{2}$ | (| Cream | |
| HSF-15H | Hard | | $1^{-1}/_{2}$ | Black | | |
| HSF-15SS | Steel | | 1 1/2 | Steel | | |
| HSF-15B | Brass | | 1 1/2 | | Brass | |
| Plastic Storage Case | | | | | | |

Features

- Handles are durable and comfortable.
- Heavy duty construction for strength and durability.
 Six interchangeable heads meet a number of various applications, including non-marring and non-sparking applications with selected head surfaces.
 Includes plastic storage case.



WILLIAMS

Sledge Hammers

Wood Handle

| Product Code | Weight Class (lbs) | Handle Length (Inches) | Overall Length (Inches) | Face Diameter (Inches) |
|--------------|-----------------------|----------------------------------|---------------------------------|-------------------------------|
| SH-2 | 2 | 13 1/4 | 14 ⁷ /8 | 1 1/4 |
| SH-4 | 4 | 13 ⁵ / ₁₆ | 15 ¹ / ₄ | 1 1/2 |
| SH-6 | 6 | 32 | 34 ¹ / ₈ | 1 ³ / ₄ |
| SH-8 | 8 | 32 11/16 | 35 ¹ / ₁₆ | 1 ⁷ /8 |
| SH-10 | 10 | 31 ¹⁵ / ₁₆ | 34 ¹ / ₂ | 2 |
| SH-12 | 12 | 31 15/16 | 34 11/16 | 2 1/4 |

Features

- Double faced head is hardened and tempered forged for maximum strength and durability.

 • Handle is made from fire hardened hickory.

WILLIAMS

Sledge Hammers

| Fiberglass | Handle | | | |
|--------------|-----------------------|---------------------------|-------------------------|---------------------------|
| Product Code | Weight Class (lbs) | Handle Length (Inches) | Overall Length (Inches) | Face Diameter (Inches) |
| SHF-4S ** | 4 | 14 | 14 | 1 1/4 |
| SHF-8S ** | 8 | 32 | 32 | 2 |
| SHF-12S ** | 12 | 32 | 32 | 2 1/4 |
| SHF-2 | 2 | 14 | 14 | 1 1/4 |
| SHF-3 | 3 | 14 | 14 | 1 1/2 |
| SHF-4 | 4 | 14 | 14 | 1 5/8 |
| SHF-6 | 6 | 32 | 32 | 1 3/4 |
| SHF-8 | 8 | 32 | 32 | 2 |
| SHF-10 | 10 | 16 | 16 | 2 1/8 |
| SHF-10L | 10 | 32 | 32 | 2 1/8 |
| SHF-12 | 12 | 32 | 32 | 2 1/4 |
| SHF-16 | 16 | 24 | 24 | 2 5/8 |
| SHF-16L | 16 | 32 | 32 | 2 5/8 |
| SHF-20 | 20 | 36 | 36 | 2 3/4 |

- ** Soft steel safety head is similar in hardness to brass.

 ** Ideal replacement for Brass Head where non-sparking is not required.

 Double faced head is hardened and tempered forged for maximum strength and durability.





27 Piece Punch & Chisel Set

Packed in a Roll Pouch

| Product Code | Description | |
|--------------|-----------------------------|--|
| PC-27 | 27 Piece Punch & Chisel Set | |

Contents Include:

| Product Code | Description | Point Diameter (Inches) | Product Code | Description | Blade Width (Inches) |
|-----------------|---------------------|-------------------------------|-----------------|-----------------------------------|----------------------------|
| P-3 | Pin Punch | 3/32 | C-8 | Cold Chisel | 1/4 |
| P-4 | Pin Punch | 1/8 | C-10 | Cold Chisel | 5/16 |
| P-5 | Pin Punch | 5/32 | C-12 | Cold Chisel | 3/8 |
| P-6 | Pin Punch | 3/16 | C-16 | Cold Chisel | 1/2 |
| P-8 | Pin Punch | 1/4 | C-20 | Cold Chisel | 5/8 |
| P-10 | Pin Punch | 5/16 | C-24 | Cold Chisel | 3/4 |
| P-13 | Solid Punch | 3/32 | C-28 | Cold Chisel | 7/8 |
| P-14 | Solid Punch | 1/8 | C-32 | Cold Chisel | 1 |
| P-15 | Solid Punch | 5/32 | C-36 | Cold Chisel | 1 ¹ /8 |
| P-16 | Solid Punch | 3/16 | | | • |
| P-17 | Solid Punch | 1/4 | 28449 | Punch and Ch | sical Haldor |
| P-25 | Long Taper Punch | 5/32 | | ⁷ / ₈ " Cap | |
| P-26 | Long Taper Punch | 3/16 | | | |
| P-28 | Long Taper Punch | 1/4 | | | |
| P-30 | Prick Punch | - | | | |
| P-40 | Center Punch | - | | | |
| P-42 | Center Punch | - | | | |

Features

- Heavy duty construction for strength and durability.
- · Includes punch and chisel holder for safety.





WILLIAMS

17 Piece Punch & Chisel Set

Packed in a Roll Pouch

| Product Code | Description |
|--------------|-----------------------------|
| PC-17 | 17 Piece Punch & Chisel Set |

Contents Include:

| Product Code | Description | Point Diameter (Inches) | Product Code | Description | Blade Width (Inches) |
|-----------------|---------------------|-------------------------------|-----------------|------------------|----------------------------|
| P-4 | Pin Punch | 1/8 | C-10 | Cold Chisel | 5/16 |
| P-6 | Pin Punch | 3/16 | C-12 | Cold Chisel | 3/8 |
| P-8 | Pin Punch | 1/4 | C-16 | Cold Chisel | 1/2 |
| P-14 | Solid Punch | 1/8 | C-20 | Cold Chisel | 5/8 |
| P-15 | Solid Punch | 5/32 | C-24 | Cold Chisel | 3/4 |
| P-16 | Solid Punch | 3/16 | C-42 | Cape Chisel | 1/4 |
| P-25 | Long Taper Punch | 5/32 | C-62 | Diamond Point | 3/8 |
| P-28 | Long Taper Punch | 1/4 | | Chisel | |
| P-32 | Prick Punch | - | | | |
| P-40 | Center Punch | - | | | |

Features

· Heavy duty construction for strength and durability.

















8 Piece Punch & Chisel Set

Packed in a Roll Pouch

| Product Code | Description |
|--------------|----------------------------|
| PC-8 | 8 Piece Punch & Chisel Set |

Contents Include:

| Product Code | Description | Point Diameter (Inches) | Product Code | Description | Blade Width (Inches) |
|-----------------|-------------|-------------------------|-----------------|-------------|----------------------|
| P-4 | Pin Punch | 1/8 | C-10 | Cold Chisel | 5/16 |
| P-6 | Pin Punch | 3/16 | C-16 | Cold Chisel | 1/2 |
| P-8 | Pin Punch | 1/4 | C-24 | Cold Chisel | 3/4 |
| P-15 | Solid Punch | 5/32 | | | |
| P-40 | Center | - | | | |
| | Punch | | | | |

Features

· Heavy duty construction for strength and durability.



HAMMERS, PUNCHES, CHISELS & PRYBARS

PUNCH & CHISEL SETS



8 Piece Chisel Set

Packed in a Roll Pouch

| Product Code CS-8 | Description 8 Piece Chisel Set | |
|----------------------|--------------------------------|--|
| Contanta la aluda | o Piece Chisei Set | |

Contents Include:

| Product Code | Description | Blade Width (Inches) | Product Code | Description | Blade Width (Inches) |
|-----------------|----------------------------|---|-----------------|--|------------------------------------|
| C-40 | Cape Chisel | 3/16 | C-60 | Diamond Point Chisel | 1/4 |
| C-42 | Cape Chisel | 1/4 | C-62 | Diamond Point Chisel | 3/8 |
| C-44 C-46 | Cape Chisel Cape Chisel | ⁵ / ₁₆ ³ / ₈ | C-72 C-74 | Round Nose Chisel Round Nose Chisel | 1/ ₄ 3/ ₈ |

Features

· Heavy duty construction for strength and durability.



* JUSA





9 Piece Cold Chisel Set

Packed in a Roll Pouch


| Product Code | Description | |
|--------------|-------------------------|--|
| CS-9 | 9 Piece Cold Chisel Set | |

Contents Include:

| Product Code | Description | Blade Width (Inches) | Product Code | Description | Blade Width (Inches) |
|-----------------|-------------|----------------------|-----------------|-------------|----------------------|
| C-8 | Cold Chisel | 1/4 | C-24 | Cold Chisel | 3/4 |
| C-10 | Cold Chisel | 5/16 | C-28 | Cold Chisel | 7/8 |
| C-12 | Cold Chisel | 3/8 | C-32 | Cold Chisel | 1 |
| C-16 | Cold Chisel | 1/2 | C-36 | Cold Chisel | 1 1/8 |
| C-20 | Cold Chisel | 5/8 | | | |

Features

· Heavy duty construction for strength and durability.





17 Piece Punch Set

Packed in a Roll Pouch

| Product Code | Description | |
|--------------|--------------------|--|
| PS-17 | 17 Piece Punch Set | |
| | | |

Contents Include:

| | | - | | | |
|-----------------|-------------|-----------------------|-----------------|---------------------|-----------------------|
| Product Code | Description | Tip Diameter (Inches) | Product Code | Description | Tip Diameter (Inches) |
| P-3 | Pin Punch | 3/32 | P-16 | Solid Punch | 3/16 |
| P-4 | Pin Punch | 1/8 | P-17 | Solid Punch | 1/4 |
| P-5 | Pin Punch | 5/32 | P-25 | Long Taper Punch | 5/32 |
| P-6 | Pin Punch | 3/16 | P-26 | Long Taper Punch | 3/16 |
| P-8 | Pin Punch | 1/4 | P-28 | Long Taper Punch | 1/4 |
| P-10 | Pin Punch | 5/16 | P-30 | Prick Punch | - |
| P-13 | Solid Punch | 3/32 | P-40 | Center Punch | - |
| P-14 | Solid Punch | 1/8 | P-42 | Center Punch | - |
| P-15 | Solid Punch | 5/32 | | | |

Features

• Heavy duty construction for strength and durability.

















4 Piece Center Punch Set

Packed in a Roll Pouch

| Product Code | Description |
|--------------|--------------------------|
| PS-4 | 4 Piece Center Punch Set |

Contents Include:

| Product Code | Description | Stock Diame- ter (Inches) | Product Code | Description | Stock Diameter (Inches) |
|-----------------|-----------------|------------------------------|-----------------|-----------------|-------------------------|
| P-38 | Center Punch | 1/4 | P-40 | Center Punch | 3/8 |
| P-39 | Center Punch | 5/16 | P-42 | Center Punch | 1/2 |

Features

· Heavy duty construction for strength and durability.



Made in U.S.A.



HAMMERS, PUNCHES, CHISELS & PRYBARS

COLD CHISELS, PUNCH & CHISEL SETS



Cold Chisels

Heavy Duty Industrial Grade

| Product Code | Stock Size | Blade Width (Inches) | Length (Inches) |
|--------------|------------------|----------------------|-------------------------------|
| C-8 | 1/4 | 1/4 | 5 |
| C-10 | 1/4 | 5/16 | 5 |
| C-12 | 5/16 | 3/8 | 5 ¹ / ₂ |
| C-15 | 3/8 | 7/16 | 6 |
| C-16 C-20 | ⁷ /16 | 1/2 | 6 |
| C-20 | 1/2 | 5/8 | 6 1/2 |
| C-24 | 5/8 | 3/4 | 7 |
| C-28 | 3/4 | 7/8 | 7 1/2 |
| C-32 | 7/8 | 1 | 8 |
| C-36 | 7/8 | 1 1/8 | 8 |

- The most commonly used chisels in the chisel line.
- For cutting, shaping and removing metal softer than the cutting edge of the chisel.





12 Piece Pilot Punch Set

Packed in a Roll Pouch

| Product Code | Description |
|--------------|--------------------------|
| PS-12 | 12 Piece Pilot Punch Set |

Contents Include:

| Product Code | Point Diameter | Product Code | Point Diameter |
|--------------|----------------|--------------|----------------|
| P-51 | 1/16 | P-57 | 7/32 |
| P-52 | 5/64 | P-58 | 1/4 |
| P-53 | 3/32 | P-59 | 5/16 |
| P-54 | 1/8 | P-60 | 3/8 |
| P-55 | 5/32 | P-61 | 7/16 |
| P-56 | 3/16 | P-62 | 1/2 |

Features

- Designed to apply equal pressure to the end of a pin. driving it straight through the hole.
- The ball on the center of the point end assures proper contact.
 with the pin eliminating damage to the pin or hole wall.



WILLIAMS

8 Piece Pilot Punch Set

Packed in a Roll Pouch

| Product Code | Description |
|--------------|-------------------------|
| PS-8 | 8 Piece Pilot Punch Set |

Contents Include:

| Product Code | Point Diameter | Product Code | Point Diameter |
|--------------|----------------|--------------|----------------|
| P-51 | 1/16 | P-55 | 5/32 |
| P-52 | 5/64 | P-56 | 3/16 |
| P-53 | 3/32 | P-57 | 7/32 |
| P-54 | 1/8 | P-58 | 1/4 |

Features

- Designed to apply equal pressure to the end of a pin. driving it straight through the hole.
- The ball on the center of the point end assures proper contact. with the pin eliminating damage to the pin or hole wall.





3 Piece Brass Drift Punch Set

Packed in a Roll Pouch

| Product Code | Description |
|--------------|-------------------------------|
| PS-3 | 3 Piece Brass Drift Punch Set |

Contents Include:

| Product Code | Point Diameter | |
|--------------|----------------|--|
| P-63 | 3/8 | |
| P-64 | 1/2 | |
| P-65 | 3/4 | |

Features

• For aligning unhardened steel or aluminum.













WILLIAMS

Extra-Long Cold Chisels

Heavy Duty Industrial Grade

| Product Code | Stock Size | Blade Width (Inches) | Length (Inches) |
|--------------|---------------|-------------------------|--------------------|
| C-120 | 1/2 | 5/8 | 12 |
| C-124 | 5/8 | 3/4 | 12 |
| C-125 | 5/8 | 3/4 | 14 |
| C-126 | 5/8 | 3/4 | 18 |
| C-132 | 3/4 | 7/8 | 12 |
| C-133 | 3/4 | 1 | 18 |

Features

 Designed for cutting, shaping and removing metal softer than the cutting edge of the chisel.



WILLIAMS

Rivet-Buster Chisel

Heavy Duty Industrial Grade

| Product Code | Stock Size | Blade Width (Inches) | Length (Inches) |
|--------------|---------------|----------------------|--------------------|
| C-422 | 13/16 | 3/4 | 12 |
| | | | |

Features

• Designed for shearing bolt heads and rivets.



WILLIAMS

Cape Chisels

Heavy Duty Industrial Grade

| Product Code | Stock Size | Blade Width (Inches) | Length (Inches) |
|--------------|---------------|----------------------|--------------------|
| C-40 | 1/4 | 3/16 | 5 |
| C-42 | 3/8 | 1/4 | 5 |
| C-44 | 3/8 | 5/16 | 5 3/4 |
| C-46 | 1/2 | 3/8 | 6 |

Features

• Designed for cutting or grooving keyholes or slots.



WILLIAMS

Diamond Point Chisels


Heavy Duty Industrial Grade

| Product Code | Stock Size | Square Cut | Length (Inches) |
|--------------|---------------|---------------|--------------------|
| C-60 | 3/8 | 1/4 | 5 3/4 |
| C-62 | 5/8 | 3/8 | 7 |

Features

• Designed for making a V-groove in metal and to clean out inside corners.







Round Nose Chisels

Heavy Duty Industrial Grade

| Product Code | Stock Size | Blade Width (Inches) | Length (Inches) |
|--------------|------------|----------------------|-------------------------------|
| C-72 | 3/8 | 1/4 | 6 1/2 |
| C-73 | 5/16 | 5/16 | 6 ¹ / ₄ |
| C-74 | 5/8 | 3/8 | 7 |
| C-75 | 3/4 | 1/2 | 8 |

Features

• Designed for cutting or grooving keyholes or slots.



WILLIAMS

Pin Punches

Heavy Duty Industrial Grade

| Product Code | Stock Size | Point Diameter | Length (Inches) |
|--------------|---------------|------------------------------|-------------------------------|
| P-3 | 5/16 | 15/16 | 4 1/2 |
| P-4 | 5/16 | 1/8 | 4 3/4 |
| P-5 | 5/16 | 5/32 | 5 |
| P-6 | 5/16 | ³ / ₁₆ | 5 ¹ / ₄ |
| P-8 | 3/8 | 1/4 | 5 ³ / ₄ |
| P-10 | 7/16 | 5/16 | 6 |

Features

• For driving out and removing already loosened pins and keys after initial movement by a solid or starter punch.



WILLIAMS

Solid Punches

Heavy Duty Industrial Grade

| Product Code | Stock Size | Point Diameter | Length (Inches) |
|--------------|---------------|-------------------------------|--------------------|
| P-12 | 3/8 | 5/8 | 5 |
| P-13 | 3/8 | ¹⁵ / ₁₆ | 5 |
| P-14 | 3/8 | 1/8 | 5 |
| P-15 | 3/8 | 5/32 | 5 |
| P-16 | 3/8 | ³ / ₁₆ | 5 |
| P-17 | 1/2 | 1/4 | 5 |
| P-18 | 3/8 | 7/32 | 5 |

Features

- For loosening frozen or tight pins and keys or knocking out rivets.
- Also called starter punches because they are ideal for loosening frozen pins.


WILLIAMS

Long Taper Punches

Heavy Duty Industrial Grade

| Product Code | Stock Size | Point Diameter | Length (Inches) |
|--------------|------------|----------------|-----------------|
| P-24 | 5/16 | 1/8 | 8 |
| P-25 | 3/8 | 5/32 | 9 |
| P-26 | 1/2 | 3/16 | 10 |
| P-27 | 5/8 | 3/8 | 15 |
| P-28 | 5/8 | 1/4 | 12 |
| P-28A | 3/4 | 1/4 | 15 |
| P-29 | 5/8 | 5/16 | 16 |

- Designed for aligning the holes in metal pieces through which rivets, bolts, or screws will be inserted.
- Not intended for driving pins as punch may become stuck in work.
- · Also called line-up aligning or drift punches.



















Center Punches

Heavy Duty Industrial Grade

| Product Code | Stock Size | Blade Width (Inches) |
|--------------|------------|----------------------|
| P-38 | 1/4 | 4 |
| P-39 | 5/16 | 4 1/2 |
| P-40 | 3/8 | 5 |
| P-42 | 1/2 | 6 |

Features

 Pierces or marks work by indentation for starting pilot drills in metal or other materials.



WILLIAMS

Prick Punches

Heavy Duty Industrial Grade

| Product Code | Stock Size | Length (Inches) |
|--------------|---------------|--------------------|
| P-30 | 1/4 | 4 |
| P-32 | 1/2 | 6 |

Features

- For scribing lines into metal before cutting or riveting, and for punching starting holes for short metal screws.
 Point is more tapered than center punch.



WILLIAMS

Brass Drift PunchES

Packed in a Roll Pouch

| Product Code | Body Size | |
|--------------|-----------|--|
| P-63 | 3/8 | |
| P-64 | 1/2 | |
| P-65 | 3/4 | |

Features

• For aligning unhardened steel or aluminum



WILLIAMS

4 Piece Pinch & Roll Bar Set

Heavy Duty Industrial Grade

| Contents Include: | |
|-------------------|------------------------------|
| PBS-7 | 4 Piece Pinch & Roll Bar Set |
| Product Code | Description |

| Product Code | Description | Stock Diameter (Inches) |
|--------------|-------------|-------------------------|
| C-80A | Pinch Bar | 3/4 |
| C-82A | Pinch Bar | 3/4 |
| C-715 | Roll Bar | 1/2 |
| C-718 | Roll Bar | 5/8 |

Features

· Heavy duty construction for strength and durability.



WILLIAMS

Pinch Bars

Heavy Duty Industrial Grade

| Product Code | Overall Length (Inches) | Stock Size | Width of Flat (Inches) |
|--------------|-------------------------|---------------|---------------------------|
| C-80 | 14 | 1/2 | 5/8 |
| C-82 | 16 | 5/8 | 3/4 |
| C-82A | 18 | 3/4 | 7/8 |
| C-83 | 195/8 | 3/4 | 7/8 |
| C-80A | 24 | 3/4 | 7/8 |
| C-84 | 30 | 7/8 | 1 |
| C-85 | 38 | 3/4 | 7/8 |
| C-86 | 42 | 7/8 | 1 |

Features

• Used for aligning, prying and positioning.








3 Piece Heavy-DUTY Screwdriver Type PRY BAR SET

| Product Code | Description | |
|--------------|---------------------|--|
| C-803 | 3 Piece Pry Bar Set | |

Contents Include:

| C-807 12 C-812 17 | oduct Code | Overall Length (Inches) | |
|----------------------|------------|-------------------------|--|
| | -807 | 12 | |
| 0.040 | | 17 | |
| C-818 25 | -818 | 25 | |

Features





Pry Bars - Screwdriver Type

Contents Include:

| Product Code | Size | Overall Length (Inches) |
|--------------|------|-------------------------|
| C-807 | 3/8 | 12 |
| C-812 | 3/8 | 17 |
| C-818 | 1/2 | 25 |
| C-824 | 1/2 | 31 |
| C-836 | 5/8 | 36 |
| C-842 | 5/8 | 42 |
| C-844 | 7/8 | 44 |
| C-858 | 3/4 | 58 |

Features

- Blade is heat-treated the entire length.
- · Handle is ergonomically designed to provide a more comfortable and secure grip.
- · Curved blade style gives extra leverage.



Roll Bars

Heavy Duty Industrial Grade

| Product Code | Overall Length (Inches) | Stock Size |
|--------------|-------------------------|------------|
| C-709 | 9 | 3/8 |
| C-715 | 16 | 1/2 |
| C-718 | 18 | 5/8 |

• Aligning and pry bar with long tapered body and 90 ° rolling head.





21661



C-803

C-824

WILLIAMS

2 Piece Comfort Grip Prybar Set

Bi-Mold Comfort Grip Handles

| Contonto Includos | |
|-------------------|---------------------------------|
| 21661 | 2 Piece Comfort Grip Prybar Set |
| Product Code | Description |

| Size | Overall Length (Inches) | |
|-------|-------------------------|--|
| Small | 8 | |
| Large | 18 | |

- Bi-mold handles provide comfortable grip, reducing hand fatigue.
 Thumb stop on handle provides control during use.
- · Fulcrum end provides extra prying power.









